We Claim

1. Contraceptive process in female mammals that consists of at least 28 days of sequential administration of:

- (a) a gestagen in an ovulation-inhibiting dose for at least 28 days in combination with
- (b) a natural estrogen for 5 to 10 days at the end of the sequential administration of at least 28 days.
- 2. Contraceptive process in female mammals that consists of28 days of sequential administration of:
- (a) a gestagen in an ovulation-inhibiting dose for 28 days in combination with
- (b) a natural estrogen for 5 to 10 days at the end of the sequential 28-day administration.
  - 3. Process according to claim 1 or 2, in which the natural estrogen is administered for 10 days at the end of the sequential administration.
  - 4. Process according to one of claims 1 to 3, in which the gestagen is selected from the group of compounds:

gestodene,
progesterone,
levonorgestrel,
cyproterone acetate,
chloromadinone acetate,
drospirenone (dihydrospirorenone),
norethisterone,

A

pr

norethisterone acetate,
norgestimate,
desogestrel,
3-ketodesogestrel,
dienogest

or a mixture thereof.

- 5. Process according to claim 1, 2 or 3, in which the gestagen is contained in a daily dosage of:
  - 0.05-0.2 mg of levonorgestrel,
  - 0.05-0.15 mg of gestodene

or a bioequivalent dosage of another gestagen.

- 6. Process according to claim 1, whereby the administration of gestagen is done orally and/or transdermally.
- 7. Process according to claim 1, whereby the administration of natural estrogen is done orally and/or transdermally.
  - 8. Contraceptive kit that/contains at least 28 daily dosage units with
- (a) a first phase that consists of at least 18 to 23 first daily dosage units of a gestagen in an ovulation-inhibiting dose, and
- (b) a second phase that consists of at least 5 to 10 second daily dosage units of a gestagen in an ovulation-inhibiting dose, in combination with a natural estrogen.
- 9. Contraceptive kit that contains 28 daily dosage units with
- (a) a first phase that consists of 18 to 23 first daily dosage units of a gestagen in an ovulation-inhibiting dose, and

- (b) a second phase that consists of 5 to 10 second daily dosage units of a gestagen in an ovulation-inhibiting dose, in combination with a natural estrogen.
- 10. Contraceptive kit according to claim 8 or 9, in which the natural estrogen is administered for 10 days of the last third of the sequential administration.
- 11. Contraceptive kit according to one of claims 8 to 10, in which the gestagen is selected from the group of compounds:

gestodene,

progesterone,

levonorgestrel,

cyproterone acetate,

chloromadinone/acetate,

drospirenone (dibydrospirorenone),

norethisterone,

norethisterone acetate,

norgestimat/e,

desogestre/1,

3-ketodesøgestrel,

dienogest

or a mixture thereof.

- 12. Contraceptive kit according to the of claims 8 to 10, in which the destagen is contained in a daily dosage of:
  - 0.05-0.2 mg of levonorgestrel,
  - 0.05-0.15 mg of gestodene

or a bioqquivalent dosage of another gestagen.

60 pd

pro!